


Location:



S-2302-PD
Kitchen Faucet
Specification Submittal



Model Number	Feature Highlights
<input type="checkbox"/> S-2302-PD-1.5 Kitchen faucet	<ul style="list-style-type: none">▪ Single handle kitchen faucet with pull-down handspray spout and retractable hose▪ Two mode handspray; standard stream and wide spray▪ Spout has 360 degree rotation▪ Ceramic control components▪ Standard flow rate is 1.5 gpm (5.7 L/min) Optional lower flow rate restrictor available▪ Braided hose water supply connections▪ Single hole mount▪ Metal construction, polished chrome finish (standard)
Finish Options / Modifications	
<p>Append appropriate -suffix to model number</p> <ul style="list-style-type: none"><input type="checkbox"/> CG -1.0 1.0 (3.8 L/min) flow rate restrictor<input type="checkbox"/> -DP 8" deck plate<input type="checkbox"/> -BBZ Brushed Bronze finish<input type="checkbox"/> -MB Matte Black finish<input type="checkbox"/> -STS Stainless Steel finish	
Warranty	Feature Highlights <ul style="list-style-type: none">▪ ASME A112.18.1/CSA B.125.1▪ NSF/ANSI/CAN 61: Q<1, NSF/ANSI 372 


Architectural/ Engineering Specification

Symmons Sereno_____ With Single handle kitchen faucet with pull-down handspray spout and retractable hose, Two mode handspray; standard stream and wide spray, Spout has 360 degree rotation, Ceramic control components, Standard flow rate is 1.5 gpm (5.7 L/min)Optional lower flow rate restrictor available, Braided hose water supply connections, Single hole mount, Metal construction, polished chrome finish (standard). 10 Year commercial Warranty. ASME A112.18.1/CSA B.125.1, NSF/ANSI/CAN 61: Q<1, NSF/ANSI 372, complaint. Available options include: "-1.0 - 1.0 (3.8 L/min) flow rate restrictor", "-DP - 8" deck plate", "-BBZ- Brushed Bronze finish", "-MB - Matte Black finish", "-STS - Stainless Steel finish".

S-2302-PD

Dimensions

Dimensions Sereno Kitchen Faucet, S-2302-PD



Emplacement:



SYMMONS

Sereno



Robinet de cuisine S-2302-PD
Présentation des spécifications

Numéro de modèle

- S-2302-PD-1.5** Robinet de cuisine

Options/modifications du fini

Joindre le -suffixe approprié au numéro de modèle

- CG** -1.0 Régulateur de débit de 3,8 L/min
- DP Plaque de la base 203 mm (8po)
- BBZ Fini bronze brossé
- MB Fini noir mat
- STS Fini acier inoxydable

Garantie

Garantie limitée - à l'acheteur original dans les installations du consommateur/résidentiel.
10 Ans - pour les installations commerciales/industriel. Se reporter au www.symmons.com/warranty pour l'information complète concernant la garantie.



Principales caractéristiques

- Robinet de cuisine mitigeur avec poignée de pulvérisation à tirer et tuyau rétractable
- Deux modes de pulvérisation; jet normal et jet large
- Le bec peut pivoter sur 360 degrés
- Composants des commandes en céramique
- Le débit standard est de 5,7 L/min (1,5 gpm) Régulateur de débit faible en option disponible
- Raccords de l'alimentation en tuyau tressé
- Montage à trou unique
- Fabrication de métal, fini chrome poli (standard)

Normes/certifications

- ASME A112.18.1/CSA B.125.1
- NSF/ANSI/CAN 61: Q<1, NSF/ANSI 372



Dimensions Robinet de cuisine Sereno, S-2302-PD

